

SAFETY DATA SHEET NICKEL NEUTRAL - 2085

1. Identification

Product identifier

Product name

NICKEL NEUTRAL

Product number

2085

Recommended use of the chemical and restrictions on use

Application

Industrial Use

Details of the supplier of the safety data sheet

Supplier

Canadian Metal - Ad Corporation 42

Regan Road, Unit #17 Brampton, ON. L7A 1B4

Canada

Tel.: 905-459-6457 E-Mail: info@metalad.ca

Emergency telephone number

Emergency telephone

Toll Free: 1-800-899-6926

2. Hazard(s) identification

Classification of the substance or mixture Physical hazards Not Classified

Health hazards

Skin Irrit. 2 - H315 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1A - H350 Repr. 1B -

H360D STOT RE 1 - H372

Environmental hazards

Aquatic Chronic 2 - H411

Label elements

Pictogram





Signal word

Danger

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Revision: 3

NICKEL NEUTRAL

Precautionary statements

P260 Do not breathe vapor/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do

not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 [In

case of inadequate ventilation] wear respiratory protection.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P501

Dispose of contents/ container in accordance with national regulations.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P302+P352 If on

skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P310 If swallowed: Immediately call a poison center/ doctor.

Contains

NICKEL DIHYDROXIDE

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

AMMONIUM FORMATE

5-18%

CAS number: 540-69-2

Classification

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

AMMONIUM SULPHATE

CAS number: 7783-20-2

Classification

Not Classified

NICKEL DIHYDROXIDE 5-10%

CAS number: 12054-48-7 M

factor (Acute) = 1 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Resp. Sens. 1 - H334

Skin Sens. 1 - H317

Muta. 2 - H341

Carc. 1A - H350i

Repr. 1B - H360D

STOT RE 1 - H372

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

Revision: 3

NICKEL NEUTRAL

DI-AMMONIUM HYDROGEN CITRATE

CAS number: 3012-65-5

Classification

Eye Irrit. 2A - H319 STOT

SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

4. First-ald measures

Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. NEVER MAKE AN

UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Get medical attention

immediately.

Skin Contact Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at

least 15 minutes. Get medical attention if irritation persists afterwashing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water.

Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation Coughing, chest tightness, feeling of chest pressure. May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Ingestion Ingestion may cause severe irritation of the mouth, the esophagus and the gastrointestinal tract. May

cause stomach pain or vomiting.

Skin contact May cause skin irritation. May cause sensitization or allergic reactions in sensitive individuals.

Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause blurred vision and serious eye damage. Causes serious eye irritation. Immediate first aid is

imperative.

Indication of immediate medical attention and special treatment needed Notes for the doctor

No specific recommendations.

5-10%

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Toxic gases or vapors.

Advice for firefighters

Protective actions during Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

firefighting

Use protective equipment appropriate for surrounding materials.

and the second adultument at the aturner of the second at the second at

Special protective equipment for

firefighters

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Revision: 3 NICKEL NEUTRAL

Personal precautions

Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapors.

Provide adequate general and local exhaust ventilation.

Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. Inform the relevant authorities

if environmental pollution occurs (sewers, waterways, soll orair).

Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and dispose of spillage as indicated in Section 13.

Wash thoroughly after dealing with a spillage.

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Avoid inhalation of vapors and spray/mists.

Provide adequate general and local exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from freezing

and direct sunlight.

Storage class

Toxic storage.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

Exposure Controls/personal protection

Exposure controls Protective equipment







Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapor or mist.

Eye/face protection

Tight-fitting safety glasses.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. It is recommended that gloves are made of the following material: Nitrile rubber.

Other skin and body

protection

Appropriate footwear and additional protective clothing complying with an approved standard should be

worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before

eating, smoking and using the toilet.

Revision: 3

NICKEL NEUTRAL

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure

Ilmit.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Liquid.

Color

Blue-green.

Odor

No characteristic odor.

рΗ

pH (concentrated solution): 7.3-7.5

Relative density

1.150-1.165 @ 20°C

Other information

Not available.

10. Stability and reactivity

Reactivity

No test data specifically related to reactivity available for this product or its ingredients.

Stability

Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to avoid

Avoid excessive heat for prolonged periods of time.

Materials to avoid

Acids. Alkalis. Oxidizing agents.

Hazardous decomposition

None at ambient temperatures.

products

11. Toxicological information

Information on toxicological effects Acute

toxicity - oral

ATE oral (mg/kg)

22,318.84057971

Acute toxicity - inhalation

ATE inhalation (dusts/mists

21,73913043

mg/l)

Inhalation

Vapours irritate the respiratory system, and may cause coughing and difficulties in breathing.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Ingestion

May cause stomach pain or vomiting. May cause severe internal injury.

Skin Contact

May cause skin irritation. May cause sensitization or allergic reactions in sensitive individuals.

Eye contact

May cause serious eye damage. Immediate first aid is imperative.

Acute and chronic health

May cause cancer. May cause genetic defects.

hazards

Route of entry Ingestion In

Ingestion Inhalation Skin and/or eye contact

Revision: 3

NICKEL NEUTRAL

Toxicological information oningredients.

Acute toxicity - oral

AMMONIUM FORMATE

Acute toxicity oral (LD∞

mg/kg)

2,250.0

Species

Mouse

ATE oral (mg/kg)

2,250.0

AMMONIUM SULPHATE

Acute toxicity - oral

Acute toxicity oral (LD₅o

4,250.0

mg/kg)

Species

Rat

Acute toxicity - dermal

Acute toxicity dermal (LDso

2,000.0

mg/kg)

Species

Rat

NICKEL DIHYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅o

1,540.0

mg/kg)

Species

Rat

ATE oral (mg/kg)

500.0

Acute toxicity - inhalation

ATE inhalation

1.5

(dusts/mists mg/l)

Carcinogenicity

NTP carcinogenicity

Reasonably anticipated to be a human carcinogen.

12. Ecological Information

Ecotoxicity

Dangerous for the environment. The product contains a substance which is toxic to aquatic organisms

and which may cause long-term adverse effects in the aquatic environment.

Toxicity

No data available.

Ecological information on ingredients.

AMMONIUM SULPHATE

Acute toxicity - fish

LC50, 53 hours: mg/l, Fish

ECso, 122-129 hours: 48 mg/l, Daphnia magna

NICKEL DIHYDROXIDE

Acute aquatic toxicity

Revision: 3

NICKEL NEUTRAL

LE(C)so

0.1 < L(E)C50 ≤ 1

M factor (Acute)

1

Chronic aquatic toxicity

M factor (Chronic)

1

Persistence and degradability

Persistence and degradability No data available.

Bioaccumulative potential

Bio-Accumulative Potential

The product does not contain any substances expected to be bloaccumulating.

Mobility in soil

Mobility

The product is soluble in water.

Other adverse effects

Other adverse effects

Not determined.

13, Disposal considerations

Waste treatment methods

General information

Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority

requirements.

14. Transport information

UN Number

UN No. (TDG)

3082

UN No. (IMDG)

3082

UN No. (ICAO)

3082

UN No. (DOT)

3082

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NICKEL DIHYDROXIDE)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NICKEL DIHYDROXIDE)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NICKEL DIHYDROXIDE)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NICKEL DIHYDROXIDE)

Transport hazard class(es)

TDG class

9

TDG label(s)

9

IMDG Class

9

ICAO class/division

9

Revision: 3 NICKEL NEUTRAL



Transport labels

Packing group

TDG Packing Group III

IMDG packing group

ICAO packing group

DOT packing group

Environmental hazards Environmentally

Hazardous Substance



Special precautions for user

EmS F-A, S-F

Transport in bulk according to

No information required.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities Exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) Ammonium

Citrate, Dibasic

Final CERCLA RQ: 5,000 lbs Nickel Dihydroxide

Final CERCLA RQ: 10 lbs

SARA Extremely Hazardous Substances EPCRA Reportable Quantities Exempt.

SARA 313 Emission Reporting Nickel

Dihydroxide

CAA Accidental Release Prevention HAP

Nickel Dihydroxide

SARA (311/312) Hazard Categories Acute

Chronic

OSHA Highly Hazardous Chemicals

Exempt.

US State Regulations

Revision: 3 NICKEL NEUTRAL

California Proposition 65 Carcinogens and Reproductive Toxins Nickel

Dihydroxide

California Directors List of Hazardous Substances Ammonium

Citrate Dibasic Nickel Dihydroxide

Inventories

US - TSCA

All ingredients are present.

16. Other information

Classification abbreviations

Acute Tox. = Acute toxicity

and acronyms

Carc. = Carcinogenicity

Eye Dam. = Serious eye damage Eye

Irrit. = Eye irritation

Flam. Liq. = Flammable liquid

Muta. = Germ cell mutagenicity

Repr. = Reproductive toxicity

Resp. Sens. = Respiratory sensitisation Skin

Corr. = Skin corrosion Skin Irrit. = Skin Irritation Skin Sens. = Skin sensitisation

STOT RE = Specific target organ toxicity-repeated exposure STOT SE =

Specific target organ toxicity-single exposure

Revision date

12/4/2017

Revision

3

Hazard statements in full

H302 Harmful if swallowed.

H315 Causes skinimitation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H350i May cause cancer by inhalation. H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

NFPA - instability hazard

Normally stable. (0)

NFPA - health hazard

Temporary incapacitation, injury.(2)

NFPA - flammability hazard

Will not burn. (0)

The Information in this data sheet is believed to be correct but neither we nor our employees or agents give any warranty or make any representation to the accuracy thereof and accept no liability for any loss, injury or damage which may result in it's use. The sole purpose of this data sheet is to provide guidance on the safe handling and use of the products to which it relates. It does not form part of any product specification nor part of any contract. It is not practical for the guidance and information in this data sheet to cover every conceivable application of a product and as we may not be aware of the use to which the products covered by this data sheet are to be put it remains the responsibility of the user to conduct it's own tests and to satisy itself as to the suitability of the product.